PLEASE PROTECT YOURSELF
AND COWORKERS FROM Image: Coworkers from COVID-19 Source: Public Health
Seattle & King County, WA

Stay home if you have any of these symptoms: Other symptoms:

shortness

fever **OR** of breath

chills

- repeated shaking with chills • muscle pain
 - muscle pail
 headache
 - neadache
 - sore throat
 - loss of taste or smell

Wash your hands often for 20 seconds.



DO wear a fabric mask safely.

Mask should cover from just under the bridge of your nose to under your chin.

- Always wash your hands before and after wearing a mask.
- Use the ties or loops to put your mask on and pull if off.
- Don't touch the front of the mask, especially when you take it off.
- Put on and remove your mask while inside your home. Public transportation, elevators and stairwells can be high-contamination areas.
- Wash and dry your cloth mask daily and keep it in a clean, dry place.
- Remember that masks offer only limited protection and work best in combination with hand washing and physical distancing.



Tighten

the loops

or ties so

it's snug

your face,

around

without

gaps.

DON'T: Wear the mask below your nose.



DON'T: Leave your chin exposed.



DON'T: Wear your mask loosely with gaps on the sides.



DON'T: Wear your mask so it covers just the tip of your nose.



DON'T: Push your mask under your chin to rest on your neck.

KCIT-DCE: 2004_10128L_COVID-PH-workPrecautions.ai



Amador County Public Health